

# Contents

Figures, Tables, and Listings      xv

## Preface

## About This Book      xix

---

What to Read      xix  
Format of a Typical Chapter      xxi  
Conventions Used in This Book      xxii  
    Special Fonts      xxii  
    Types of Notes      xxii  
    Parameter Block Information      xxiii  
Development Environment      xxiii  
For More Information      xxiv

## Chapter 1 Environment

## Introduction to the Apple Open Collaboration 1-1

---

About AOCE System Software      1-3  
Some Uses for AOCE Software      1-4  
    The Company Store Catalog      1-5  
    Purchasing      1-7  
    Sales      1-8  
The Components of the AOCE Software      1-8  
    Desktop Services      1-9  
    Collaboration Package      1-11  
        Standard Mail Package      1-11  
        Standard Catalog Package      1-12  
    Digital Signature Manager      1-12  
    Collaboration Toolbox      1-12  
        Authentication Manager      1-12  
        Catalog Manager      1-13  
        Interprogram Messaging Manager      1-13  
    Service Access Modules      1-14  
AOCE Concepts      1-14  
    Catalogs, Records, and Attributes      1-14  
    Messaging and Message Queues      1-15  
    Addressing Mail and Messages      1-16  
    Authentication and Authentication Identities      1-17

---

About the AOCE Utilities	2-3
AOCE Data Structures of Maximum and Minimum Size	2-3
Using the AOCE Utilities	2-5
Determining Whether the Collaboration Toolbox Is Available	2-5
Packing and Unpacking the AOCE Data Structures	2-5
Unpacking Catalog Specifications	2-6
Validating the AOCE Data Structures	2-10
Comparing AOCE Data Structures for Equality	2-12
Copying AOCE Data Structures	2-13
Copying Versus Duplicating AOCE Data Structures	2-15
Allocating AOCE Strings of Nonstandard Sizes	2-16
Allocating a RecordID Structure of Maximum Size	2-16
AOCE Utilities Reference	2-19
AOCE Data Structures	2-19
AOCE String Structures	2-19
Record Identifier Structures	2-25
Catalog Services Specification	2-36
Attribute Structures	2-38
AOCE Utility Functions	2-44
AOCE String Functions	2-45
Creation Identifier Functions	2-51
Packed Pathname Functions	2-55
Catalog Discriminator Functions	2-63
Record Location Information Functions	2-64
Local Record Identifier Functions	2-79
Short Record Identifier Functions	2-82
Record Identifier Functions	2-85
Packed Record Identifier Functions	2-88
Attribute Type Functions	2-94
Catalog Services Specification Functions	2-95
Application-Defined Functions	2-106
Summary of the AOCE Utilities	2-108
C Summary	2-108
Constants and Data Types	2-108
AOCE Utility Functions	2-118
Pascal Summary	2-123
Constants	2-123
Data Types	2-128
AOCE Utility Functions	2-133
Assembly Language Summary	2-138
Result Codes	2-140

---

About the Standard Mail Package	3-3
The Send-Letter Functions	3-3
The Mailer Functions	3-4
Mailers	3-4
Letter Formats	3-7
The Standard Catalog Package	3-8
Using the Standard Mail Package	3-8
Initializing the Standard Mail Package	3-8
Creating a Mailer	3-9
Sending Mail	3-11
Receiving Mail	3-17
Forwarding and Replying to Mail	3-19
Closing a Letter	3-20
Handling Mailer Events	3-21
Standard Mail Package Reference	3-25
Data Structures	3-25
Recipient Descriptor	3-25
Enclosure Descriptor	3-26
Letter Descriptor	3-27
Letter Information Structure	3-27
Creator Type Structure	3-28
Image Block Information Structure	3-28
Letter Parameter Block	3-29
Close-Options Structure	3-29
Mailer-State Structure	3-30
Send-Options Structure	3-34
Send-Format Structure	3-34
Letter-Specification Structure	3-35
Standard Mail Package Functions	3-36
Assembly-Language Interface	3-36
Authenticating a User	3-36
Send-Letter Functions	3-37
Providing Mailers in Your Windows	3-45
Handling Events in Mailers	3-63
Sending and Saving Mail	3-72
Reading Mail	3-93
Printing Mailers	3-107
Getting and Setting Information in the Mailer	3-110
Application-Defined Functions	3-122
Summary of the Standard Mail Package	3-127
C Summary	3-127
Constants and Data Types	3-127
Standard Mail Package Functions	3-134
Application-Defined Functions	3-140

Pascal Summary	3-140
Constants	3-140
Data Types	3-143
Standard Mail Package Functions	3-146
Application-Defined Functions	3-151
Assembly-Language Summary	3-151
Trap Macros	3-151
Result Codes	3-153

Chapter 4	<b>Standard Catalog Package</b>	4-1
<hr/>		
	About the Standard Catalog Package	4-3
	Finding and Selecting Records	4-3
	Using the Standard Catalog Package	4-5
	Testing for the Presence of the Standard Catalog Package	4-5
	Creating an Authentication Identity	4-6
	Creating a Catalog-Browsing Panel	4-8
	Handling Catalog-Browsing Panel Events	4-11
	Creating and Disposing of a Find Panel	4-18
	Standard Catalog Package Reference	4-20
	Data Types	4-20
	Catalog-Browsing Panel Structure	4-20
	Find Panel Structure	4-22
	RString List	4-23
	Standard Catalog Package Functions	4-23
	Assembly-Language Interface	4-24
	Authenticating a User	4-25
	Sorting a Personal Catalog	4-28
	Creating, Displaying, and Disposing of a Catalog-Browsing Panel	4-29
	Handling Events in a Catalog-Browsing Panel	4-51
	Creating, Displaying, and Disposing of a Find Panel	4-61
	Handling Events in a Find Panel	4-75
	Resolving Aliases	4-85
	Obtaining Icons and Lists of Catalog-Item Categories and Types	4-88
	Application-Defined Functions	4-94
	Summary of the Standard Catalog Package	4-96
	C Summary	4-96
	Constants and Data Types	4-96
	Standard Catalog Package Functions	4-100
	Pascal Summary	4-105
	Constants	4-105
	Data Types	4-107
	Standard Catalog Package Functions	4-109
	Assembly-Language Summary	4-114
	Trap Macros	4-114
	Result Codes	4-115

---

Introduction to the AOCE Catalogs Extension	5-5
Introduction to AOCE Templates	5-9
Aspect Templates	5-13
Information Page Templates	5-14
Forwarder Templates	5-14
Killer Templates	5-15
File Type Templates	5-15
How Aspect and Information Page Templates Work	5-15
Lookup Tables	5-25
Conditional Views	5-26
Code Resources	5-27
How the Catalogs Extension Saves New Values	5-27
Property Value Synchronization	5-28
Drags and Drops	5-28
Writing AOCE Templates	5-30
Defining a New Record Type or Attribute Type	5-30
Defining the Contents of the New Record Type or Attribute Type	5-33
Laying Out an Information Page	5-36
Adding a Conditional View	5-40
Adding an Information Page With a Sublist	5-43
Writing a Main Aspect and Information Page for an Attribute	5-52
Creating a Custom Information Page Window	5-58
Writing Template Code Resources	5-65
AOCE Templates Reference	5-73
File and Resource Types Used by the Catalogs Extension	5-73
Template Names	5-75
Specifying Record and Attribute Types for Templates	5-75
Components of Aspect Templates	5-78
Properties	5-84
Aspect Template Signature Resource	5-88
Main Aspect Template Resources	5-88
Supporting Drags and Drops	5-98
Other Aspect Template Resources	5-103
The Lookup-Table Resource	5-105
Basic Element Types	5-111
Conditional Element Types	5-112
Block Elements	5-113
Size Element Types	5-115
Providing Your Own Pattern Elements	5-118
Overriding Default Property-Type Assignments	5-119
Canceling Pattern Processing	5-119
Components of Information Page Templates	5-119
Information Page Template Signature Resource	5-121
View Lists	5-123

Implementing Conditional Views	5-131
Sublists	5-136
Information Page Resources	5-136
Components of Forwarder Templates	5-138
Forwarder Template Signature Resource	5-139
Forwarder Template Resources	5-139
Components of Killer Templates	5-140
Killer Template Signature Resource	5-140
Killer Template Resources	5-140
Components of File Type Templates	5-141
File Type Template Signature Resource	5-141
File Type Template Resources	5-141
Code Resources Reference	5-142
Rules for Writing Code Resources	5-142
Data Types	5-142
Target Specifier	5-142
Forwarder List	5-145
Call Block Headers	5-145
Callback Block Headers	5-147
Functions You Can Provide as Part of Your Code Resource	5-148
Call-For Mask	5-149
Initializing and Removing Templates	5-150
Dynamic Creation of Resources	5-154
Processing Idle-Time Tasks	5-157
Property and Information Page Functions	5-158
Supporting Drops	5-169
Attribute-Related Commands	5-175
Processing Custom Lookup-Table Pattern Elements	5-182
Synchronizing Property Values	5-185
Custom Property-Type Conversions	5-188
Custom Views and Custom Menus	5-192
CE-Provided Functions That Your Code Resource Can Call	5-196
Calling CE-Provided Functions	5-197
Testing Your Code Resource	5-198
Changing the Call-For Mask	5-198
Process Control	5-199
Handling Drags and Drops	5-201
Working With Templates	5-205
Working With Catalog Objects	5-209
Edit-Text Routines	5-211
Getting Information About Properties	5-213
Setting Value, Type, and Other Features of Properties	5-223
Working With Sublists	5-235
Working With Pop-Up Menus	5-238
Custom Views	5-242
Sending a Property Command	5-245

Summary of AOCE Templates	5-247
C Summary	5-247
Constants and Data Types	5-247
Functions You Can Provide as Part of Your Code Resource	5-260
CE-Provided Functions That Your Code Resource Can Call	5-265
Pascal Summary	5-270
Constants	5-270
Data Types	5-278
Functions You Can Provide as Part of Your Code Resource	5-283
CE-Provided Functions That Your Code Resource Can Call	5-292
Result Codes	5-299

## Chapter 6

## Digital Signature Manager 6-1

---

About Digital Signatures	6-3
Cryptography and Digital Signatures	6-4
Components of a Full Signature	6-5
The Digital Signature	6-5
The Certificate Set	6-6
Creating and Verifying Signatures	6-8
About Public-Key Certificates	6-8
Using the Digital Signature Manager	6-11
Determining the Version Number of the Digital Signature Manager	6-11
Using a Context	6-12
Creating a Full Signature	6-14
Verifying a Full Signature	6-16
Creating a Simple (Unencrypted) Digest	6-19
Getting Information From a Signature or Certificate	6-19
Dealing With Standard Signatures in Files	6-22
Digital Signature Manager Reference	6-23
Constants and Data Types	6-23
Signer Information Structure	6-23
Certificate Information Structure	6-25
Standard Signature Icon Suite	6-26
Name Attribute Information Structure	6-26
Digital Signature Manager Functions	6-27
Assembly-Language Interface	6-27
Creating and Disposing of a Context	6-28
Processing Data to Generate a Digest	6-30
Creating a Signature	6-31
Verifying a Signature	6-38
Creating a Digest	6-43
Getting Information From a Signature or Certificate	6-45

Application-Defined Function	6-54
Summary of the Digital Signature Manager	6-56
C Summary	6-56
Constants and Data Types	6-56
Digital Signature Manager Functions	6-58
Pascal Summary	6-60
Constants and Data Types	6-60
Digital Signature Manager Functions	6-62
Assembly-Language Summary	6-63
Result Codes	6-64

---

## Chapter 7      Interprogram Messaging Manager      7-1

---

About the IPM Manager	7-3
About AOCE Interprogram Messages	7-4
Message Queues	7-8
Addresses	7-9
Report Messages	7-9
Addressing IPM Messages	7-10
Direct Addressing	7-11
AppleTalk Direct Addressing	7-12
Telephone Direct Addressing	7-12
Indirect Addressing	7-14
Attribute-Type Indirect Addressing	7-15
Queue-Name Format for Attribute Values	7-16
Using the IPM Manager	7-17
Determining Whether the Collaboration Toolbox is Available	7-17
Determining the Version of the Collaboration Toolbox	7-17
Error Handling	7-18
Creating a Message	7-18
Initiating the Message-Creation Process	7-18
Adding Information to the Message	7-19
Ending a Message	7-20
Creating and Managing Message Queues	7-20
Creating and Opening a Queue	7-20
Specifying a Queue Filter and Enumerating a Queue	7-21
Closing a Queue	7-22
Reading Messages	7-22
IPM Manager Reference	7-24
Data Types	7-24
Message Addressing Structures	7-24
Message and Block Types	7-26
Delivery Notification	7-28



Filter Structures	7-34
Message Information Structure	7-36
Header Information Structures	7-37
Sender Structure	7-39
Interprogram Messaging Parameter Block Header	7-40
Asynchronous or Synchronous Operations	7-41
Completion Routines and Polling Options	7-41
IPM Manager Functions	7-42
Calling an IPM Function From Assembly Language	7-43
Creating a New Message	7-43
Managing Message Queues	7-68
Listing and Reading Messages	7-80
Deleting Messages	7-105
Utility Functions	7-107
Application-Defined Functions	7-114
Summary of the IPM Manager	7-117
C Summary	7-117
Constants and Data Types	7-117
IPM Manager Functions	7-133
Pascal Summary	7-135
Constants	7-135
Data Types	7-138
IPM Manager Functions	7-153
Assembly-Language Summary	7-156
Result Codes	7-157

## Chapter 8      **Catalog Manager**      159

---

Introduction to AOCE Catalogs	162
Catalog Nodes	163
Catalog Records and Attributes	164
Aliases and Pseudonyms	165
Access Controls	165
Identities and the PowerTalk Setup Catalog	166
About the Catalog Manager	167
Get/Parse Function Pairs	167
Callback Routines	168
Determining Features Supported	168
Getting Access Controls	169
Types of Requesters	169
Types of Access Privileges	171
Access Control Lists	172

Using the Catalog Manager	173
Determining Whether the Collaboration Toolbox Is Available	174
Determining the Version of the Catalog Manager	174
Getting Attribute Value Information	174
Getting Attribute Type Information	178
Getting Extended Catalog Information	182
Catalog Manager Reference	186
Feature Flag Bit Array	186
Data Types	190
The Parameter Block Header	190
The dNode ID	192
The Enumeration Choice Type	192
The Enumeration Specification	193
The Script Structure	194
The Matching Criteria Type	195
Catalog Manager Functions	196
Getting Information About Catalogs	196
Getting Information About dNodes	214
Maintaining the PowerTalk Setup Catalog	229
Creating, Opening, and Closing Personal Catalogs	240
Managing Records	247
Managing Attribute Types and Values	266
Reading Access Controls for dNodes, Records, and Attribute Types	290
Cancelling a Catalog Manager Function	306
Application-Defined Functions	308
Summary of the Catalog Manager	322
C Summary	322
Constants and Data Types	322
Catalog Manager Functions	345
Pascal Summary	349
Constants and Data Types	349
Catalog Manager Functions	387
Assembly-Language Summary	392
Result Codes	394

---

Chapter 9	<b>Authentication Manager</b>	397
-----------	-------------------------------	-----

---

Introduction to Authentication	9-400
Keys	9-400
Credentials	9-401
Steps in the Authentication Process	9-401
Identities	9-403
Local Identities	9-404

Specific Identities	9-405
Guest Access	9-405
The PowerTalk Setup Catalog	9-405
Proxies	9-406
About the Authentication Manager	9-406
Using the Authentication Manager	9-407
Determining Whether the Collaboration Toolbox Is Available	9-407
Determining the Version of the Authentication Manager	9-407
Authentication Using ASDSP	9-408
Authentication for Non-ASDSP Users	9-409
The Initiator's Authentication Process	9-409
The Recipient's Authentication Process	9-410
Authentication Using a Proxy	9-410
Using the Notification Queue	9-411
Authentication Manager Reference	9-414
Data Structures	9-414
Parameter Block Header	9-414
The Key Structures	9-416
Authentication Manager Functions	9-416
Assembly-Language Interface	9-417
Key Management	9-417
Local Identity Management	9-424
Specific Identity Management	9-435
Credentials Management	9-439
Creation ID Resolution	9-446
Time Service	9-448
Non-ASDSP Authentication Utilities	9-450
PowerTalk Setup Catalog Management	9-457
Application-Defined Functions	9-464
Summary of the Authentication Manager	9-467
C Summary	9-467
Constants and Data Types	9-467
Authentication Manager Functions	9-476
Application-Defined Functions	9-478
Pascal Summary	9-478
Constants	9-478
Data Types	9-479
Authentication Manager Functions	9-496
Application-Defined Routines	9-498
Assembly-Language Summary	9-498
Trap Macros	9-498
Result Codes	9-499

Appendix A	<b>PowerTalk Built-in Templates</b>	A-1
	User Records	A-1
	Group Records	A-4
	Addresses	A-4
	Other Built-in Templates	A-4
	<b>Glossary</b>	GL-1
	<b>Index</b>	IN-1